



GH Digital Forum
Ardens Vaccination Solution

Hazel Quick – Training Specialist

8th October 2025



Agenda

- 1 Content will cover Flu, COVID, Shingles, RSV, and Childhood Immunisations
- 2 Summary of the vaccination schedules
- 3 Plan – preparation, ordering and monitoring vaccine supplies
- 4 Recall – inviting eligible patients
- 5 Deliver – accurately record vaccine activity
- 6 Evaluate – check and action data quality issues, monitor vaccine activity

Adult Immunisation Routine Schedule

🕒 Schedule

Vaccination	Eligibility
Seasonal Influenza	65+ years (turn 65 by 31/3/26) 18-64 years in clinical risk groups Pregnant women
Pneumococcal	65+ years 2-64 years in clinical risk groups
Shingles	65 years 70-79 (catch up) 18 + years if severely immunosuppressed
RSV	75-79 years Pregnant women (from 28 weeks)
COVID-19	75+ years (turn 75 by 31/1/26) Older care home patients 6 months + years who are immunocompromised

Guidance:

https://assets.publishing.service.gov.uk/media/68b71dcbd723ba6f74dba90b/UKHSA_Complete_Immunisation_schedule_September_2025_WEB.pdf

Childhood Immunisation Routine Schedule

🕒 Schedule

Guidance:
<https://www.gov.uk/government/publications/routine-childhood-immunisation-schedule>

Routine childhood immunisations				From July 2025	
Age due	Vaccines that protect against		Vaccine given and trade name		Usual site ¹
Eight weeks old	Diphtheria, tetanus, pertussis (whooping cough), polio, Haemophilus influenzae type b (Hib) and hepatitis B		DTaP/IPV/Hib/HepB (6 in 1 vaccine)	Infanrix hexa or Vaxelis	Thigh
	Meningococcal group B (MenB)		MenB	Bexsero	Thigh
	Rotavirus gastroenteritis		Rotavirus	Rotarix ²	By mouth
Twelve weeks old	Diphtheria, tetanus, pertussis (whooping cough), polio, Haemophilus influenzae type b (Hib) and hepatitis B		DTaP/IPV/Hib/HepB (6 in 1 vaccine)	Infanrix hexa or Vaxelis	Thigh
	MenB		MenB	Bexsero	Thigh
	Rotavirus		Rotavirus	Rotarix ²	By mouth
Sixteen weeks old	Diphtheria, tetanus, pertussis (whooping cough), polio, Haemophilus influenzae type b (Hib) and hepatitis B		DTaP/IPV/Hib/HepB (6 in 1 vaccine)	Infanrix hexa or Vaxelis	Thigh
	Pneumococcal (13 serotypes) • if received pneumococcal at 12 weeks give Men B		PCV	Prevenar 13	Thigh
One year old (on or after the child's first birthday)	Born before 1 July 2024 Pneumococcal Measles, mumps, rubella MenB Hib/MenC (if Hib/MenC exhausted give DTaP/Hib/IPV/HepB)	Born on or after 1 July 2024 Pneumococcal Measles, mumps, rubella MenB	PCV MMR MenB Hib/MenC	Prevenar 13 MMRVaxPro or Priorix Bexsero Menitorix	Upper arm or thigh
Eighteen months old	Born before 1 July 2024 No appointment	Born on or after 1 July 2024 DTaP/IPV/Hib/HepB Measles, mumps, rubella	DTaP/IPV/Hib/HepB MMR	Infanrix hexa or Vaxelis MMRVaxPro or Priorix	Upper arm or thigh
Three years four months old or soon after	Born before 1 July 2024 Diphtheria, tetanus, pertussis and polio Measles, mumps, rubella	Born on or after 1 July 2024 Diphtheria, tetanus, pertussis and polio	dTaP/IPV MMR	REPEVAX MMRVaxPro or Priorix	Upper arm
Boys and girls aged twelve to thirteen years	Cancers and genital warts caused by specific human papillomavirus (HPV) types		HPV	Gardasil 9	Upper arm
Fourteen years old (school Year 9)	Tetanus, diphtheria and polio		Td/IPV	REVAXIS	Upper arm
	Meningococcal groups A, C, W and Y		MenACWY	MenQuadfi	Upper arm
Eligible paediatric age group: See annual flu letter at: www.gov.uk/government/collections/annual-flu-programme		Influenza (each year from September)	LAIV (Live attenuated influenza vaccine) • If LAIV is contraindicated or otherwise unsuitable use inactivated flu vaccine (check Green Book Chapter 19 for details)	Fluenz (Contains porcine gelatine)	Both nostrils

1. Intramuscular injection into deltoid muscle in upper arm or anterolateral aspect of the thigh. | 2. Rotavirus vaccine should only be given after checking for SCID screening result.



Ardens Vaccination Solution

 How Ardens can help



Ardens Adult Immunisation Resources

Ardens Clinical

Templates, Protocols, Reports & Searches

Ardens Manager

Dashboards

Key Learning Points

- ✓ Where 'Review Before' reports are available, it is recommended to run and action them prior to inviting patients, to ensure only appropriate and eligible patients are recalled
- ✓ Ensure the CQRS Data Quality searches are run and actioned monthly, prior to the automatic data extraction
- ✓ Monitor vaccination uptake and performance using the Ardens reports and Ardens Manager vaccination dashboards

GH Digital Forum Webinar

 Additional training and support

Scan the below QR code to access training and support

